3511373 MOLYGREEN SELECTION OW20 SP/GF-6A



Cosmo Oil Lubricants Co., Ltd.

SAFETY DATA SHEET

1. Chemical Product and Company Identification

ProductName MOLYGREEN SELECTION OW20 SP/GF-6A

Product Code 3511373

Date of 2021/03/02

creation

Details of Company

Company

: COSMO OIL LUBRICANTS CO., LTD.

Date of creation: 2021/03/02

the supplier of the safety data sheet

Address : 1-1-1, Shibaura, Minato-ku, Tokyo, Japan

Name of Section : Quality Assurance Department

TEL : +81-3-3798-3875

Product Use : 4 Cycle Gasoline Engine Oil

2. Hazards identification

[GHS LABEL ELEMENTS]

PHYSICO-CHEMICAL HAZARDS

No applicable GHS classification data.

HEALTH HAZARDS

No applicable GHS classification data.

ENVIRONMENTAL HAZARDS

No applicable GHS classification data.

[GHS LABEL ELEMENTS]

Pictogram

None

Signal Word : None Hazard Statement : None

Precautionary Statement

None

Other notes

: Even if there is no description in the precautionary statement based on GHS classification, sufficient consideration should be given to Safety measures / First aid measures / Storage / Disposal by referring to the

information in the following chapters.

Composition/information on ingredients

Substance or Preparation : Mixture

Component Content (%)

Mineral oil 90-100 Additive 5-10

4. First aid measures

3511373 MOLYGREEN SELECTION OW20 SP/GF-6A COSMO OIL LUBRICANTS CO., LTD.

Inhalation : If inhalation of mists, fumes or vapor causes irritation to

the nose or throat, or coughing, remove to fresh air.

Date of creation: 2021/03/02

comfortable for breathing.

: If symptoms persist obtain medical advice

Skin contact : Wash skin thoroughly with soap and water as soon as

reasonably practicable.

: If skin irritation occurs obtain medical advice.

Eye contact : Wash eye thoroughly with clean water.

: Obtain medical advice if any pain or redness develops or

persists.

Ingestion : If contamination of the mouth occurs, wash out thoroughly

with water.

Except as a deliberate act, the ingestion of large amounts of

product is unlikely. If it should occur, do not induce

vomiting; obtain medical advice.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health

effects and symptoms.

Necessary precautions for protection of person performing first aid

measures

Special precautions for

doctors

: No information

: No information

5. Fire fighting measures

Extinguish media : Use foam, dry powder or water fog, carbon dioxide.

Extinguishing media that do

not use it

: Do not use water jets.

Specific hazards arising from the substance or

mixture

Fire Fighting

: Toxic fumes may be evolved on burning or exposure to heat. See Section 10 for information on stability and reactivity.

: Eliminate all ignition sources if safe to do so.

: Water the surrounding equipment to cool them down.

: Cordon off the affected place and its vicinity to all,

except the concerned parties.

Specific protective equipment for firefighters

: Keep upwind of fire. Wear full fire fighting turn-out gear

(full Bunker gear) and respiratory protection (SCBA).

6. Accidental release measures

Personal precautions, protective equipment and emergency

: Use appropriate Personal Protective Equipment (PPE).

: Evacuate all non essential personnel from the immediate area.

Environmental precautions : Prevent leakage into sewer, rivers and etc., and take

measures to prevent environmental pollution.

Methods and material for containment and cleaning up

: Absorb and recover by use of sand or other suitable inert

absorbent material.

COSMO OIL LUBRICANTS CO., LTD.

: In a large leakage, enclose it with sand bank and stop outflow, and recover spilled material into containers. In event of spillage in the sea, extend oil fences to prevent diffusion, and sop up with absorbent materials. In event of using chemicals and/or detergents, they must satisfy the technical standards as set by the Ministry of Land, Infrastructure and Transport.

Date of creation: 2021/03/02

Prevention measure of secondary disaster

: In the case of large spills contact the appropriate

authorities.

: Promptly remove ignition sources nearby.

7. Handling and storage

Handling

Technical measures : Follow the regulations of the Fire Service Act.

: Keep away from flame or high temperature, and avoid, whenever

possible, a generation of vapor.

: Take measures against static discharge. Ensure to wear

clothing and shoes made of conductive materials.

: Never suck up (siphoning) this material by mouth.

: Wear personal protective equipment if there exists a chance

of getting contact with skin or enter into eye.

: Do not breathe dust, vapor, spray,

Precautions : No information available

Precautions for safe

handling

: Perform local exhaust and general ventilation as described in

"8. Exposure controls/personal protection".

Avoid contact : Avoid contact with halogens, strong acids, alkali and

oxidizing materials.

: Whilst using do not eat, drink or smoke. Hygiene measures

: Wash hands thoroughly after contact.

Storage

Storage conditions : Store in a cool and well-ventilated place away from direct

sunlight.

: Keep container tightly closed

: Avoid heat, sparks, open flame and static accumulation.

: Label and display as hazardous material and store.

Safe container packaging

materials

: Do not pressurize empty containers. May cause rupture.

: Do not weld, heat up, drill or cut containers. May ignite the

residue and cause explosion.

8. Exposure controls / Personal protection

Control parameters

Japanese Society ACGIH Chemical name Administrative levels of Occupational

Health

Mineral oil 3mg/m3TWA: 5mg/m3

Additive

3511373 COSMO OIL LUBRICANTS CO., LTD. Date of creation: 2021/03/02

MOLYGREEN SELECTION OW20 SP/GF-6A

exhaust ventilation in the workplace.

: Install eye shower and body shower near the work site.

: Install the appropriate general ventilation equipment, local

Personal protection

Equipment

Respiratory protection : Use respiratory equipment appropriately in response to the

circumstances.

Hand protection : Use oil-proof protective hand gloves appropriately in

response to the circumstances.

Eye protection : Use safety glasses with side protection appropriately in

response to the circumstances.

Skin protection : Use protective clothing appropriately in response to the

circumstances.

Special precautions : No information

9. Physical and chemical properties

Physical state : Liquid

Color : Light brown Odor : Slight odor

Melting point : -45.0° C (Pour point)

Boiling point/Boiling range : No information available Flammability : No information available

Range of explosion (lower

bound - upper bound)

: 1-7vol%(estimated)

Flash point : 230° C (COC)

Autogenous ignition point : No information available

Decomposition temperature : No information available

pH : No information available

Kinematic viscosity : $44.8 \text{mm} 2/\text{s} (40^{\circ}\text{C})$

Solubility : No information available
Water partition coefficient : No information available
Vapor pressure : No information available

Density/Specific gravity : $0.85g/cm3(15^{\circ}C)$

Vapor density : No information available
Particle characteristics : No information available

10. Stability and reactivity

Reactivity : Stable under normal conditions of use and unlikely to react.

Chemical stability : Stable under normal storage conditions.

Possibility of hazardous

reactions

: No hazardous reaction known under conditions of normal use.

Conditions to avoid : Heat. Incompatible materials.

Incompatible materials : Halogens, strong acids, alkalies and oxidizing agents.

Hazardous decomposition

products

: Incomplete combustion/ thermal decomposition will generate smoke, carbon dioxide and hazardous gases, which will include

carbon monoxide.

11. Toxicological information

Date of creation: 2021/03/02 MOLYGREEN SELECTION OW20 SP/GF-6A

The hazard classification of products was classified based on the classification criteria of the mixture.

Acute toxicity(oral)

: Not classified LD50 > 5000mg/kg (Rat) Mineral oil

Acute toxicity (dermal)

Mineral oil : Not classified LD50 > 5000mg/kg (Rat)

Acute toxicity(inhalation: gases)

: Exempt classification Mineral oil

Acute toxicity(inhalation: vapors)

Mineral oil : Exempt classification

Acute toxicity(inhalation: dusts and mists)

Mineral oil : Not classified LC50 > 5mg/L (Rat 4h)

Skin corrosion/Skin irritation

Mineral oil : Not classified Prolonged or repeated skin contact as from

clothing wet with material may cause dermatitis.

Serious eye damage/Eye irritation

Mineral oil : Not classified Not expected to cause eye irritation.

Based on data from components or similar materials.

Respiratory sensitizer

Mineral oil : Classification not possible

Skin sensitizer

Mineral oil : Not classified No data available to indicate product or

components may be a skin sensitizer.

Germ cell mutagenicity

Mineral oil : Not classified No data available to indicate product or

components present at greater than 0.1% are mutagenic or

genotoxic.

Carcinogenicity

Mineral oil : Not classified The classification as a carcinogen need

not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex 1. The producer of "Lubricating oils" declares that it contains less than 3% DMSO extractable material by IP

346.

Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

Toxic to reproduction/Effects on or via lactation

: Not classified/Not classified No data available to Mineral oil

indicate either product or components at greater than 0.1%

that may cause reproductive toxicity.

Specific target organ toxicity (single exposure)

Mineral oil : Not classified No data available to indicate product or

components present at greater than 0.1% that may cause

STOT by single exposure.

Specific target organ toxicity (repeated exposure)

: Not classified No data available to indicate product or Mineral oil

components present at greater than 0.1% that may cause

Date of creation: 2021/03/02

STOT repeated exposure.

Aspiration hazard

: Not classified Mineral oil

12. Ecological information

The hazard classification of products was classified based on the classification criteria of the mixture.

Hazard to the aquatic environment (acute)

Mineral oil : Not classified

Hazard to the aquatic environment (chronic)

Mineral oil : Not classified

Hazardous to the ozone layer

Mineral oil : Classification not possible

: Fathead minnow 96h LL50 > 100 mg/L Toxicity to fish

Fathead minnow 14d NOEL > 100 mg/L (Mineral oil)

Toxicity to invertebrate : Crustacea (Daphnia magna) 48h EL50/NOEL > 10,000mg/L

Crustacea (Daphnia magna) 21d NOEL > 10mg/L (Mineral oil)

: Selenastrum NOEL > 100 mg/L(Mineral oil) Toxicity for algae Persistence and : This product is not expected to be readily

degradability

biodegradable. (Mineral oil)

Bioaccumulative potential : No information available

Mobility in soil : Oil spilled on the surface may be adsorbed to the soil and is

unlikely to spill into groundwater. (Mineral oil)

13. Disposal considerations

Rest waste : Dispose of via an authorized person/ licensed waste disposal

contractor in accordance with local regulations.

: Be discarded in accordance with the standards of the local

government and relevant legislation.

: Incineration may be carried out under controlled conditions

provided that local regulations for emissions are met.

A pollution container,

packing

: When disposing of empty containers, after the contents have been completely removed, and the mixture is processed in

accordance with the standards of the local government as well as the related laws and regulations and waste disposal

method.

14. Transport information

UN Number No information available

Proper Shipping name No information available : No information available Class

Packing Group No information available

Special safety measures for

transport or means of

transport

: Transport the container without significant friction or

agitation.

: Fire is strictly prohibited because of flammable liquid.

: A sign shall be displayed on the vehicle as specified by an Ordinance of the Ministry of Internal Affairs and Communications, and provide with fire fighting equipment, if and when required to transport more than the designated quantity for the vehicle.

Date of creation: 2021/03/02

Total piled height of vehicle shall be less than 3 meters for

land transportation.

: Consolidation of this material with hazardous goods belonging to the Category I and Category VI is prohibited.

: Comply with applicable laws and regulations.

Domestic restriction

Land: Follow the transportation method specified by Fire Service

Act and Industrial Safety and Health Law.

Sea : Follow the transportation method specified by Ship Safety

Air: Follow the transportation method specified by Civil

Aeronautics law.

15. Regulatory information

Fire Service Act : Category IV Inflammable liquids

Pollutant Release and Transfer Register (PRTR)

: Not Regulated

Industrial Safety and Health : Regulated

Poisonous and Deleterious Substances Control Law

: Not Regulated

Water Pollution Control Law : Regulated Sewage Control Law : Regulated

16. Other information

This data sheet and the health, safety and environmental information it contains is considered to be accurate as of the date specified below. We have reviewed any information contained herein which we received from sources outside the Cosmo Oil Lubricants. However, no warranty or representation, express or implied is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid license.

Cosmo Oil Lubricants shall not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.